

Rely on us.SM



Varn® Non-VOC Wash

Automatic or manual roller and blanket wash

Roller and blanket wash for all applications

Product Features

- Varn® Non-VOC Wash has no VOC content and therefore eliminates vapour emissions during application.
- Varn® Non-VOC Wash has high ink solvency power that leaves clean, glaze free blankets and rollers yet will not attack positive plates.
- Varn® Non-VOC Wash has a high flashpoint in excess of 100 °C and therefore reduces risk of fire.
- Varn® Non-VOC Wash is water miscible to easily remove water soluble and solvent soluble glaze, blanket piling and lint.

Advantages of Varn® Non-VOC Wash

- No VOCs - made to EC requirements.
- Low odour.
- Very low swell on nitrile rubbers.
- High flashpoint (>100°C).
- High ink solvency.
- Water miscible.
- Fogra approved.



FlintGroup

Varn® Non-VOC Wash

Features	Advantages	Benefits
<ul style="list-style-type: none">• Contains no VOCs.	<ul style="list-style-type: none">• Reduced vapour emission.• Low odour.	<ul style="list-style-type: none">• Safer & improved working environment.• Environmentally friendly.
<ul style="list-style-type: none">• Water miscible.	<ul style="list-style-type: none">• Easily removes both water soluble and solvent soluble glaze, blanket piling and lint.	<ul style="list-style-type: none">• One application removes all debris.
<ul style="list-style-type: none">• High ink solvency power.	<ul style="list-style-type: none">• Suitable for application on blankets and rollers.	<ul style="list-style-type: none">• Versatile.

Product code

KV10-ONVG-#### (final 4 digits relate to pack size).

Pack sizes

1 litre (01AF), 10 litres (01F9), 20 litres (01H5), 200 litres (01N1) and 1000 litres (01U0).

Application

Blankets: Mix with an equal quantity of warm water, apply to blanket and allow to penetrate ink/lint residues. Use a second application and buff dry.

Rollers: Use neat or mix with 10% water to remove gum glaze, ink and lint.

For automatic systems, use as instructed by installation engineer.

For optimum performance use in conjunction with Varn® Take It Off/Revitol and Varn® Calcium Deglazer as part of a regular press maintenance system.

Follow relevant Good Manufacturing Practice (GMP) guidelines if used for the production of food packaging.

Flashpoint

>100°C.

Approvals

OEM approved (manroland Sheetfed presses; Heidelberg Sheetfed presses; KBA Coldset and Heatset presses; Baldwin) in accordance with Fogra corrosion and elastomer swell testing criteria.

More products. Streamlined access. Greater results.

Flint Group's Print Media division offers a uniquely powerful combination of products, services and expertise; giving you access to the industry's broadest range of pressroom products.

Inks and Coatings. Pressroom Chemicals. Blankets. Sleeves. Consumables.

Rely on us for consistency, reliability and customer focus. Our aim is to make it easier for you to achieve your business goals. With Flint Group products in your pressroom, you can run your business with confidence and peace of mind.

You are welcome to contact us for further information.

Print Media Europe
Varn House, Brinell Drive,
Northbank Industrial Park, Irlam,
Greater Manchester, M44 5BL, UK.

T +44 (0)161 775 5412
F +44 (0)161 775 5415
printmedia.eu@flintgrp.com
www.flintgrp.com

The aim of our technical documents is to inform and advise our customers. The information provided herein is correct to the best of Flint Group's knowledge. No liability for any errors, facts or opinions is accepted. Customers must satisfy themselves as to the suitability of this product for their application. No responsibility for any loss as a result of any person placing reliance on any material contained herein will be accepted.

Product names followed by ® are trademarks registered by Flint Group (represented by Flint Group US LLC or Flint Group Germany GmbH)